AMENDMENT OF THE CLAIMS

A detailed listing of all claims that are, or were, in the present application, irrespective of

whether the claim(s) remains under examination in the application are presented below. The

claims are presented in ascending order and each includes one status identifier. Those claims not

cancelled or withdrawn but amended by the current amendment utilize the following notations

for amendment: 1. deleted matter is shown by strikethrough for six or more characters and

double brackets for five or less characters; and 2. added matter is shown by underlining,

1. (Previously Presented) A collection of particles comprising aluminum oxide, the collection

of particles having an average diameter of primary particles from about 5 nm to about 500 nm and

less than about one in 106 particles have a diameter greater than about three times the average

diameter of the collection of particles.

2. (Original) The collection of particles of claim 1 wherein the collection of particles have an

average diameter from about 5 nm to about 25 nm.

3. (Original) The collection of particles of claim 1 wherein the aluminum oxide has a

crystalline structure of γ-Al₂O₃.

4. (Canceled)

5. (Previously Presented) The collection of particles of claim 1 wherein the collection of

particles includes less than about one in 10⁶ particles with a diameter greater than about two times

the average diameter.

2

6. (Original) The collection of particles of claim 1 wherein the collection of particles have a

distribution of particle sizes such that at least about 95 percent of the particles have a diameter

greater than about 40 percent of the average diameter and less than about 160 percent of the average

diameter.

7. (Original) The collection of particles of claim 1 wherein the collection of particles have a

distribution of particle sizes such that at least about 95 percent of the particles have a diameter

greater than about 60 percent of the average diameter and less than about 140 percent of the average

diameter.

8. (Original) The collection of particles of claim 1 wherein the collection of particles have a

distribution of particle sizes such that at least about 99 percent of the particles have a diameter

greater than about 40 percent of the average diameter and less than about 160 percent of the average

diameter.

9. (Canceled)

10. (Previously Presented) The polishing composition of claim 9 wherein the aluminum oxide

has a crystalline structure of y-Al₂O₃.

11. (Original) The polishing composition of claim 9 wherein the polishing composition

comprises from about 0.05 percent by weight to about 15 percent by weight aluminum oxide

particles.

3

12. (Original) The polishing composition of claim 9 wherein the polishing composition comprises from about 1.0 percent by weight to about 10 percent by weight aluminum oxide particles.

- 13. (Original) The polishing composition of claim 9 wherein the dispersion is an aqueous dispersion.
- 14. (Original) The polishing composition of claim 9 wherein the dispersion is a nonaqueous dispersion.
- 15. (Previously Presented) The polishing composition of claim 9 further comprising abrasive particles comprising silicon carbide, metal oxides other than aluminum oxide, metal sulfides or metal carbides.
- 16. (Original) The polishing composition of claim 9 further comprising colloidal silica.
- 17. (Previously Presented) A method for producing a collection of aluminum oxide particles having an average diameter from about 5 nm to about 500 nm, the method comprising:
 - flowing a molecular stream through a reaction chamber, the molecular stream comprising an aluminum precursor, an oxidizing agent, and an infrared absorber; and pyrolyzing the flowing molecular stream in a reaction chamber, where the pyrolysis is
 - driven by heat absorbed from a continuous wave laser beam.
- 18. (Previously Presented) The method of claim 17 wherein the aluminum oxide particles have an average diameter from about 5 nm to about 100 nm.

19. (Previously Presented) A collection of particles comprising aluminum oxide, the collection of particles having an average diameter from about 5 nm to about 500 nm and a distribution of particle sizes such that at least about 95 percent of the particles have a diameter greater than about

40 percent of the average diameter and less than about 160 percent of the average diameter.

20. (Original) The collection of particles of claim 19 wherein the aluminum oxide has a

crystalline structure of γ-Al₂O₃.

21. (Previously Presented) The collection of particles of claim 19 wherein the collection of

particles have a distribution of particle sizes such that at least about 99 percent of the particles have

a diameter greater than about 40 percent of the average diameter and less than about 160 percent of

the average diameter.

22. (Previously Presented) The collection of particles of claim 19 wherein the collection of

particles have a distribution of particle sizes such that at least about 95 percent of the particles

have a diameter greater than about 60 percent of the average diameter and less than about 140

percent of the average diameter.